

Docket No.AUS920000951US1

**CLAIMS:**

What is claimed is:

- 5 1. A method for providing a description of current position in an electronic document, comprising:
  - parsing an electronic document into a parse tree;
  - receiving a user request for a description of cursor position in the electronic document;
  - 10 using an algorithm to construct a position response by walking up the parse tree, from the tree node associated with the current position in the electronic document to the root of the electronic document; and
  - delivering the position response to the user.
- 15 2. The method according to claim 1, wherein the position response is audible.
3. The method according to claim 1, wherein the position response is by means of a tactile feedback mechanism.
- 20 4. The method according to claim 1, wherein the position response is by means of a text-only display.
- 25 5. The method according to claim 1, wherein the user command requesting cursor position is a voice command.
6. The method according to claim 1, wherein the algorithm uses text-to-speech technology.
- 30 7. The method according to claim 1, wherein the

Docket No.AUS920000951US1

position response comprises all nodes in the walk up the parse tree.

8. The method according to claim 1, further comprising:  
5 constructing a position response for a new position in the electronic document;  
comparing the position response for the new position with the position response for a previous position; and  
reporting to the user only those nodes in the new  
10 position response which differ from the nodes in the previous position response.

9. The method according to claim 1, wherein the position response comprises:  
15 a predefined number of nodes in the walk up the parse tree;  
wherein the predefined number of nodes is set by the user and limited by the number of nodes between the current position and the electronic document root.

20 10. The method according to claim 1, wherein the electronic document is a HTML document.

11. The method according to claim 1, wherein the  
25 electronic document is a XML document.

12. A method for receiving a description of current position in an electronic document, comprising:  
entering a user command requesting a description of  
30 cursor position in an electronic document; and  
receiving a position response comprising nodes in a walk up a parse tree constructed from the electronic document.

Docket No.AUS920000951US1

13. The method according to claim 12, wherein the step of entering a user request for cursor position is by means of voice command.

5

14. The method according to claim 12, wherein the position response comprises all nodes in the walk up the parse tree.

10 15. The method according to claim 12, wherein the position response is audible.

15 16. The method according to claim 12, wherein the position response is by means of a tactile feedback mechanism.

17. The method according to claim 12, wherein the position response is by means of a text-only display.

20 18. The method according to claim 12, wherein the position response comprises:  
a predefined number of nodes;  
wherein the predefined number of nodes is set by the user and is limited by the number of nodes between the  
25 current position and the root of the electronic document.

19. The method according to claim 12, wherein the position response comprises only those nodes which differ from a previous position response.

30

20. A computer program product in a computer readable medium for use in a data processing system, for providing a description of current position in an electronic

Docket No.AUS920000951US1

document, the computer program product comprising:

instructions for parsing an electronic document into  
a parse tree;

instructions for receiving a user command requesting  
5 cursor position in the electronic document;

an algorithm to construct a position response by  
walking up the parse tree, from the tree node associated  
with the current position in the electronic document to  
the root of the electronic document; and

10 instructions for delivering the position response to  
the user.

21. The computer program product according to claim 20,  
wherein the algorithm uses text-to-speech technology.

15

22. The computer program product according to claim 20,  
wherein the position response comprises all nodes in the  
walk up the parse tree.

20 23. The computer program product according to claim 20,  
further comprising:

an algorithm for constructing a position response  
for a new position in the electronic document;

instructions for comparing the position response for  
25 the new position with the position response for a  
previous position; and

instructions for reporting to the user only those  
nodes in the new position response which differ from the  
nodes in the previous position response.

30 24. The computer program product according to claim 20,  
wherein the position response comprises:

a predefined number of nodes in the walk up the  
parse tree;

Docket No.AUS920000951US1

wherein the predefined number of nodes is set by the user and limited by the number of nodes between the current position and the electronic document root.

5 25. The computer program product according to claim 20, wherein the electronic document is a HTML document.

26. The computer program product according to claim 20, wherein the electronic document is a XML document.

10

27. A computer program product in a computer readable medium for use in a data processing system, for receiving a description of current position in an electronic document, the computer program product comprising:

15 instructions for entering a user command requesting a description of cursor position in an electronic document; and

instructions for receiving a position response comprising nodes in a walk up a parse tree constructed  
20 from the electronic document.

28. An apparatus for providing a description of current position in an electronic document, comprising:

a parsing component which parses an electronic  
25 document into a parse tree;

a command receiver which receives a user command requesting a description of cursor position in the electronic document;

a data processor which uses an algorithm to  
30 construct a position response by walking up the parse tree, from the tree node associated with the current position in the electronic document to the root of the electronic document; and

Docket No.AUS920000951US1

a feedback mechanism to deliver the position response to the user.

29. A system for receiving a description of current  
5 position in an electronic document, comprising:  
means for entering a user command requesting a  
description of cursor position in an electronic document;  
and  
means for receiving a position response comprising  
10 nodes in a walk up a parse tree constructed from the  
electronic document.

2010 RELEASE UNDER E.O. 14176